




Zhongshan ZEROUNO Lighting Technology Co. Ltd.

Zhongshan Factory:
Floor 5 · Yongxin Shangcheng ·
Yongxin Industrial Park,
Henglan Town, Zhongshan City,
Guangdong Province, China. 528478

Web: www.zerouno-lighting.com
Email: sonny@zerouno-lighting.com
Tel: +86 0760 8855 5598
Wechat/Skype: sonnyiu



Magentic Track Light System

A new generation of lighting

Flexibility&Possibility

ZEROUNO
lighting



ZEROUNOlighting

When the lighting industry is in a state of change, we are more attach to new concepts about less is more, human centric lighting, visual comfort, invisible lamp, linear style, natural color temperature alternative, intelligent control, full spectrum and so on.

We are devoted all these new ideals into our new products design and marketing, due to perseverance of excellent application structure and surface treatment quality make VANDO constantly provide competitive edge for our customers.





linear style
intelligent control
magnetic fixing

less is more
full spectrum

extremely functional

ARCHITECTURAL LIGHTING

human centric lighting
natural CCT alternative

more than linear

visual comfort
invisible lamp
variety of mounting

ZEROUNOlighting

It' s a **SMART** system


from line to infinite





Contents

Tarck rail	01-02
Dot series	03-04
Linear series	05-06
Out series	07-08
Wallwasher series	09-10
Spot series	11-12
Fold series	13-14
Pendant series	15-16
Accessories	17-18



Tarck rail



No longer a rail, it's architecture



Recessed track with the perforation trim




Track Length	1M 2M 3M
Installation	Surface/Suspension/Recessed
Material	Aluminum
Finishing	Sand black/Sand white
Size (mm)	997*39*76 1992*39*76 2997*39*76





Dot series

Accent lighting



Minimal glare and multiple light beams




Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Dot03	Osram	4W	320lm	12/34/48D	Ra80/90	2700K-5000K	83.5*34*55.5	Yes
Dot06	Osram	8W	640lm	12/34/48D	Ra80/90	2700K-5000K	163.5*34*55.5	Dali
Dot12	Osram	16W	1280lm	12/34/48D	Ra80/90	2700K-5000K	322*34*55.5	Dali



Linear series

General Lighting





Create a linear general illumination



Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Linear32	Osram	13W	780lm	Diffuse	Ra80/90	2700K-5000K	322*34*55.5	Dali
Linear64	Osram	26W	1600lm	Diffuse	Ra80/90	2700K-5000K	640*34*55.5	Dali
Linear96	Osram	39W	2500lm	Diffuse	Ra80/90	2700K-5000K	958*34*55.5	Dali



Out series




Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Out03	Osram	4W	320lm	12/34/48D	Ra80/90	2700K-5000K	83.5*34*110	Dali
Out06	Osram	8W	640lm	12/34/48D	Ra80/90	2700K-5000K	163.5*34*110	Dali
Out12	Osram	16W	1280lm	12/34/48D	Ra80/90	2700K-5000K	322*34*110	Dali
Out32	Osram	13W	780lm	Diffuse	Ra80/90	2700K-5000K	322*34*110	Dali
Out64	Osram	26W	1600lm	Diffuse	Ra80/90	2700K-5000K	640*34*110	Dali
Out96	Osram	39W	2500lm	Diffuse	Ra80/90	2700K-5000K	958*34*110	Dali





Wallwasher series

Wallwash lighting



Linear wallwashers for a soft even light effect on vertical surface




Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Washer30	Osram	16W	800lm	Wallwasher	Ra80/90	2700K-5000K	270*43*55.5	Dali
Washer30-H	Osram	16W	800lm	Wallwasher	Ra80/90	2700K-5000K	270*43*110	Dali





Spot series

Spot lighting




Focus wherever you want




Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Spot50-S	Cree/Citizen	10W	650lm	12/24/36D	Ra80/90	2700K-5000K	50*50	Dali
Spot50-R	Cree/Citizen	10W	650lm	12/24/36D	Ra80/90	2700K-5000K	Φ65	Dali
Spot50	Cree/Citizen	10W	650lm	18/24/36D	Ra80/90	2700K-5000K	Φ50*140	Dali
Spot35	Cree/Citizen	5W	400lm	20/30/40/60D	Ra80/90	2700K-5000K	Φ35*80	Dali
Spot35-T	Cree/Citizen	2*5W	800lm	20/30/40/60D	Ra80/90	2700K-5000K	Φ35*80	Dali



Fold series



Meet your lighting needs for different angles, different planes and different objects




Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Fold03	Osram	4W	320lm	12/34/48D	Ra80/90	2700K-5000K	84*34*181	Dali
Fold06	Osram	8W	640lm	12/34/48D	Ra80/90	2700K-5000K	163.5*34*181	Dali
Fold12	Osram	16W	1280lm	12/34/48D	Ra80/90	2700K-5000K	322.5*34*181	Dali
Fold03-C	Osram	4W	240lm	Diffuse	Ra80/90	2700K-5000K	84*34*181	Dali
Fold06-C	Osram	8W	480lm	Diffuse	Ra80/90	2700K-5000K	163.5*34*181	Dali
Fold12-C	Osram	16W	960lm	Diffuse	Ra80/90	2700K-5000K	322.5*34*181	Dali




Pendant series

Decorative Lighting




Precise atmosphere



Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Pendant-R	Cree/Citizen	8W	520lm	12/24/36D	Ra80/90	2700K-5000K	Φ55	Dali
Pendant-R	Cree/Citizen	12W	750lm	12/24/36D	Ra80/90	2700K-5000K	Φ65	Dali
Pendant-S	Cree/Citizen	8W	520lm	12/24/36D	Ra80/90	2700K-5000K	50*50	Dali
Pendant-S	Cree/Citizen	12W	750lm	12/24/36D	Ra80/90	2700K-5000K	60*60	Dali



Accessories



Flux	Size(mm)	Description	Finishing
Power plate	65*30	65mm power feed for track wire connection, with 2pcs pin	white/black
Decorative plate	65*30	65mm track decorative plate, without pin	white/black



Item	Size(mm)	Description	Finishing
Track connector	113*32.5*3	Aluminum connector for track connection	white/black



Item	Size(mm)	Description	Finishing
End cap	76*39*1.5	Aluminum end cap for track, 2PCS	white/black



Item	Size(mm)	Description	Finishing
L corner	90*90*76	Aluminum 90°horizontal connect corner with power feed	white/black



Item	Size(mm)	Description	Finishing
Inner corner	123*123*76	Inner connect corner with power feed	white/black



Item	Size(mm)	Description	Finishing
Outer corner	123*123*76	Outer connect corner with power feed	white/black



Item	Size(mm)	Description	Finishing
Recessed kit	100*67.5*38	Track recessed kit, 2pcs	white/black



Item	Size(mm)	Description	Finishing
Suspension kit-A	Φ80	Track suspension kit with steel cable	white/black
Suspension kit-B	Φ80	Track suspension kit with electric wire	white/black



Item	Size(mm)	Description	Finishing
Track cover	1M	Track cover for empty spaces	white/black
Track mask	1M/2M	Track mask for plasterboard installation protection	white/black

